


R32 DRILL ROD 钎杆

Extension rod, R32 - Rnd32 - R32 普杆




长度(L)		螺纹 Thread	型号 Shape	重量 (Kg) Weight
mm	ft/in			
800	2' 7/2"	R32	Rnd32	4
915	3'	R32	Rnd32	6
1220	4'	R32	Rnd32	7
1525	5'	R32	Rnd32	9
1830	6'	R32	Rnd32	10
2435	8'	R32	Rnd32	14
3050	10'	R32	Rnd32	17
3660	12'	R32	Rnd32	21
4310	14' 1 5/8"	R32	Rnd32	24

MF-rod, R32 - Rnd32 - R32 快杆



长度(L)		螺纹 Thread	型号 Shape	重量 (Kg) Weight
mm	ft/in			
800	2' 7/2"	R32	Rnd32	6
915	3'	R32	Rnd32	7
1220	4'	R32	Rnd32	8
1525	5'	R32	Rnd32	10
1830	6'	R32	Rnd32	12
2435	8'	R32	Rnd32	16
3050	10'	R32	Rnd32	19
3660	12'	R32	Rnd32	22


R32-Rnd46 Guide Tube 导向钻管



长度(L)		螺纹 Thread	型号 Shape	重量 (Kg) Weight
mm	ft/in			
800	2' 7/2"	R32	Rnd46	6
915	3'	R32	Rnd46	9
1220	4'	R32	Rnd46	11
1525	5'	R32	Rnd46	15
1830	6'	R32	Rnd46	18

T38 DRILL ROD 钎杆

Extension rod, T38 - Rnd39 - T38 普杆




长度(L)		螺纹 Thread	型号 Shape	重量 (Kg) Weight
mm	ft/in			
800	2' 7/2"	T38	Rnd39	6
915	3'	T38	Rnd39	7
1220	4'	T38	Rnd39	9
1525	5'	T38	Rnd39	11
1830	6'	T38	Rnd39	14
2435	8'	T38	Rnd39	19
2700	9'	T38	Rnd39	22
3050	10'	T38	Rnd39	24
3660	12'	T38	Rnd39	30

MF-rod, T38 - Rnd 39 - T38 快杆



长度(L)		螺纹 Thread	型号 Shape	重量 (Kg) Weight
mm	ft/in			
800	2' 7/2"	T38	Rnd39	7
915	3'	T38	Rnd39	9
1220	4'	T38	Rnd39	11
1525	5'	T38	Rnd39	13
1830	6'	T38	Rnd39	16
2435	8'	T38	Rnd39	20
2700	9'	T38	Rnd39	23
3050	10'	T38	Rnd39	26
3660	12'	T38	Rnd39	31


T38 Guide Tube Rnd 46/56/64 导向钻管



长度(L)		螺纹 Thread	型号 Shape	重量 (Kg) Weight
mm	ft/in			
915	3'	T38	Rnd46/56/64	13
1220	4'	T38	Rnd46/56/64	16
1525	5'	T38	Rnd46/56/64	19
1830	6'	T38	Rnd46/56/64	23
2435	8'	T38	Rnd46/56/64	29
2700	9'	T38	Rnd46/56/64	32
3050	10'	T38	Rnd46/56/64	36
3660	12'	T38	Rnd46/56/64	43

T45 DRILL ROD 钎杆


Extension rod, T45 - Rnd46 - T45 普杆



MF-rod, T45 - Rnd46 - T45 Speedrod 快杆



T45 Guide Tube Rnd 64/76 导向钻管




长度(L)		螺纹 Thread	型号 Shape	重量 (Kg) Weight
mm	ft/in			
915	3'	T45	Rnd46	9
1220	4'	T45	Rnd46	13
1525	5'	T45	Rnd46	16
1830	6'	T45	Rnd46	20
2435	8'	T45	Rnd46	27
2700	9'	T45	Rnd46	30
3050	10'	T45	Rnd46	34
3660	12'	T45	Rnd46	41
4265	14'	T45	Rnd46	48

长度(L)		螺纹 Thread	型号 Shape	重量 (Kg) Weight
mm	ft/in			
915	3'	T45	Rnd46	12
1220	4'	T45	Rnd46	15
1525	5'	T45	Rnd46	19
1830	6'	T45	Rnd46	22
2435	8'	T45	Rnd46	29
2700	9'	T45	Rnd46	32
3050	10'	T45	Rnd46	36
3660	12'	T45	Rnd46	43
4265	14'	T45	Rnd46	51


长度(L)		螺纹 Thread	型号 Shape	重量 (Kg) Weight
mm	ft/in			
915	3'	T45	Rnd64/76	19
1220	4'	T45	Rnd64/76	21
1525	5'	T45	Rnd64/76	25
1830	6'	T45	Rnd64/76	30
3660	12'	T45	Rnd64/76	58

T51 DRILL ROD 钎杆


Extension rod, T51 - Rnd52 - T51 普杆




MF-rod, T51 - Rnd52 - T51 Speedrod 快杆



T51 Guide Tube Rnd76 导向钻管



T51 Guide Tube Rnd87 导向钻管



长度(L)		螺纹 Thread	型号 Shape	重量 (Kg) Weight
mm	ft/in			
915	3'	T51	Rnd52	12
1220	4'	T51	Rnd52	17
1525	5'	T51	Rnd52	21
1830	6'	T51	Rnd52	26
2700	9'	T51	Rnd52	38
3660	12'	T51	Rnd52	52
4265	14'	T51	Rnd52	61
4915	16'	T51	Rnd52	70
5525	18'	T51	Rnd52	80
6095	20'	T51	Rnd52	88

长度(L)		螺纹 Thread	型号 Shape	重量 (Kg) Weight
mm	ft/in			
915	3'	T51	Rnd52	15
1220	4'	T51	Rnd52	19
1525	5'	T51	Rnd52	23
1830	6'	T51	Rnd52	28
2700	9'	T51	Rnd52	41
3660	12'	T51	Rnd52	55
4265	14'	T51	Rnd52	64
6095	20'	T51	Rnd52	91

长度(L)		螺纹 Thread	型号 Shape	重量 (Kg) Weight
mm	ft/in			
915	3'	T51	Rnd76/87	21
1220	4'	T51	Rnd76/87	27
1525	5'	T51	Rnd76/87	32
1830	6'	T51	Rnd76/87	39
3660	12'	T51	Rnd76/87	74


MF-rod, T51 - Rnd56 - T51 Speedrod 快杆



长度(L)		螺纹 Thread	型号 Shape	重量 (Kg) Weight
mm	ft/in			
915	3'	T51	Rnd56	14
1220	4'	T51	Rnd56	18
1525	5'	T51	Rnd56	21
1830	6'	T51	Rnd56	25
2700	9'	T51	Rnd56	34
3660	12'	T51	Rnd56	45
4265	14'	T51	Rnd56	52
6095	20'	T51	Rnd56	73

ST58 DRILL ROD 钎杆


ST58 Rnd76 Drill Tubes 导向钻管



长度(L)		螺纹 Thread	型号 Shape	重量 (Kg) Weight
mm	ft/in			
1220	4'	ST58	Rnd76	27
1525	5'	ST58	Rnd76	32
1830	6'	ST58	Rnd76	39

ST68 DRILL ROD 钎杆

ST68 Rnd87 Drill Tubes 导向钻管



长度(L)		螺纹 Thread	型号 Shape	重量 (Kg) Weight
mm	ft/in			
1220	4'	ST68	Rnd87	32
1525	5'	ST68	Rnd87	40
1830	6'	ST68	Rnd87	47

GT60 DRILL ROD 钎杆

MF-rod, GT60 - Rnd60 - GT60 快杆



长度(L)		螺纹 Thread	型号 Shape	重量 (Kg) Weight
mm	ft/in			
915	3'	GT60	Rnd60	22
1830	6'	GT60	Rnd60	36
2435	7'	GT60	Rnd60	46
2700	8'	GT60	Rnd60	50
2900	9'	GT60	Rnd60	53
3660	12'	GT60	Rnd60	66
4265	14'	GT60	Rnd60	76
6095	20'	GT60	Rnd60	106

MF-rod, GT60 - Rnd64 - GT60 快杆



长度(L)		螺纹 Thread	型号 Shape	重量 (Kg) Weight
mm	ft/in			
915	3'	GT60	Rnd64	17
1830	6'	GT60	Rnd64	30
2435	7'	GT60	Rnd64	35
2700	8'	GT60	Rnd64	43
2900	9'	GT60	Rnd64	46
3660	12'	GT60	Rnd64	58
4265	14'	GT60	Rnd64	67
6095	20'	GT60	Rnd64	95


Drill Tube - GT60 Rnd87 导向钻管



长度(L)		螺纹 Thread	型号 Shape	重量 (Kg) Weight
mm	ft/in			
915	3'	GT60	Rnd87	27
1830	6'	GT60	Rnd87	46
2435	7'	GT60	Rnd87	64
2700	8'	GT60	Rnd87	67
2900	9'	GT60	Rnd87	72
3660	12'	GT60	Rnd87	90
4265	14'	GT60	Rnd87	104


EL60 DRILL ROD 钎杆

MM-rod, EL60 - Rnd60- EL60 普杆




长度(L)		螺纹 Thread	型号 Shape	重量(Kg) Weight
mm	ft/in			
1525	5'	EL60	Rnd60	23
1830	6'	EL60	Rnd60	28
3660	12'	EL60	Rnd60	59
4265	14'	EL60	Rnd60	69
6095	20'	EL60	Rnd60	99

MF-rod, EL60 - Rnd60- EL60 快杆



长度(L)		螺纹 Thread	型号 Shape	重量(Kg) Weight
mm	ft/in			
1525	5'	EL60	Rnd60	29
1830	6'	EL60	Rnd60	34
3660	12'	EL60	Rnd60	65
4265	14'	EL60	Rnd60	75
6095	20'	EL60	Rnd60	105

MF-rod, EL60 - Rnd87- EL60 Drill Tube
导向钻管



长度(L)		螺纹 Thread	型号 Shape	重量(Kg) Weight
mm	ft/in			
1220	4'	EL60	Rnd87	32
1830	6'	EL60	Rnd87	46
3660	12'	EL60	Rnd87	90
4265	14'	EL60	Rnd87	108